




**FAIRWAY GRADE FORMULA** 

**HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF** 





LEBANON SEABOARD CORPORATION **1600 EAST CUMBERLAND STREET** LEBANON, PA 17042 www.lebsea.com



Country Club

0 0

⋜

₽ Z

0 0

S

0

П



**FERTILIZER** 0 0 0 Z I Σ 0 Country Club



# 21-3-18



GUARANTEED ANALYSIS				
Total Nitrogen (N)	21%			
0.6% Ammoniacal Nitrogen				
5.5% Water Insoluble Nitrogen				
6.1% Urea Nitrogen				
8.8% Other Water Soluble Nitrogen*				
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	3%			
Soluble Potash (K <sub>2</sub> O)	18%			
Total Magnesium (Mg)	0.6%			
0.6% Water Soluble Magnesium (Mg)				
Total Sulfur (S)	5.6%			
5.6% Combined Sulfur (S)				
Total Iron (Fe)	0.4%			
0.4% Water Soluble Iron (Fe)				
Total Manganese (Mn)	0.2%			
0.2% Water Soluble Manganese (Mn)				
Nutrient Sources: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Fel	rous			
Sulfate, Manganese Sulfate.				
Chlorine (CI) not more than	2.0%			
*8.8% Slowly Available Nitrogen from Methylene Ureas.				
NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should	<b>つ</b>			
not be applied on dry or water dampened concrete and should be removed from these areas promptly	J			
after application by sweeping or blowing. Do not wash off with water	_			

### LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.lebsea.com



## **FERTILIZER**

#### **FAIRWAY GRADE FORMULA**

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF



#### **DIRECTIONS FOR USE**

Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 4.8 lbs. per 1,000 sq. ft. or 207 lbs. per acre.

SUGGESTED SPREADER SETTINGS							
	Speed		Width	Sett	ings		
Spreader	Ground MPH	PTO RPM	of Coverage	Regular (1# N)	Half (¹/₂# N)		
Cyclone	3		8 ft.	4	3		
Earthway (Rotary)	3		12 ft.	13	10		
Ezee Flow (109)	5	540	30 ft.	C2	C1 <sup>1</sup> / <sub>2</sub>		
Gandy	3			31	27		
Jet-Spred® II Rotary	3		8 ft.	4	31/2		
Lely (HR)	5		39 ft.	6II	4II		
Lely (W)	5	425	39 ft.	6II	4II		
Lesco	3		10 ft.	I	G		
Scotts (Drop)	3			4	2		
Scotts (Rotary)	3		6 ft.	I	F		
Scotts (Rotary) R7X	3		8 ft.	G	E		
Scotts (Rotary) R8A	3		8 ft.	K	I		
Spyker	3		8 ft.	4	2		
Vicon PS 402	5	540	35 ft.	26	20		

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

Keep out of reach of children.

#### **CAUTION**

LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.lebsea.com