

50 Lbs. (22.68 kg) Net Weight

Covers 12,000 Sq. Ft.

245 Performance Index Number
P 85 I 95 N 65



Country Club

COMPOSITE TECHNOLOGY

FERTILIZER



FAIRWAY GRADE FORMULA
HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF



8-4-24



GUARANTEED ANALYSIS

Total Nitrogen (N)	8%
2.5% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen	
0.5% Urea Nitrogen	
2.5% Other Water Soluble Nitrogen*	
Available Phosphorus (P ₂ O ₅)	4%
Soluble Phosph (K ₂ O)	24%
Total Magnesium (Mg)	0.5%
0.5% Water Soluble Magnesium (Mg)	
Total Sulfur (S)	0.5%
0.5% Combined Sulfur (S)	
Total Iron (Fe)	0.5%
0.5% Water Soluble Iron (Fe)	
Total Manganese (Mn)	0.25%
0.25% Water Soluble Manganese (Mn)	
Nature Sources: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%
*2.7% Slowly Available Nitrogen from Methylene Ureas.	F699

35614

LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com



Country Club

COMPOSITE TECHNOLOGY

FERTILIZER



FERTILIZER

COMPOSITE TECHNOLOGY

Country Club




SPECIMEN LABEL



Country Club. COMPOSITE TECHNOLOGY. FERTILIZER



8-4-24



GUARANTEED ANALYSIS

Total Nitrogen (N)	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	24%
Total Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Total Sulfur (S)	9.0%
9.0% Combined Sulfur (S)	
Total Iron (Fe)	0.5%
0.5% Water Soluble Iron (Fe)	
Total Manganese (Mn)	0.25%
0.25% Water Soluble Manganese (Mn)	
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%
*2.7% Slowly Available Nitrogen from Methylene Ureas.	F699
NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.	

35614

SPECIMEN LABEL

LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com

Country Club. C O M P O S I T E
T E C H N O L O G Y[®] **FERTIL**

50 Lbs. (22.68 kg) Net Weight
Covers 12,000 Sq. Ft.



Country Club®

C O M P O S I T E
T E C H N O L O G Y .

FERTILIZER

FAIRWAY GRADE FORMULA
HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF



DIRECTIONS FOR USE

To apply 1 lb. of Potash per 1,000 sq. ft. to established turf, apply this product at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre. To apply 0.5 lb. of Nitrogen and 1.5 lbs. Potash per 1,000 sq. ft. to established turf, apply at the rate of 6.25 lbs. per 1,000 sq. ft. or 272 lbs. per acre.

Applications made during the summer should be "watered in" to prevent turf damage. Apply anytime as a soil application at the rate of 6.25 lbs. per 1,000 sq. ft. and "work in" to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		
	Ground MPH	PTO RPM		1½# K	1# K	¾# K
Cyclone	3		8 ft.	6½	5½	5
Earthway (Rotary)	3		12 ft.	20	19	18
Ezee Flow (109)	5	540	30 ft.	A5	C2	C3
Gandy	3			38	36	35
Jet-Spred® II Rotary	3		8 ft.	6½	5½	5
Lely (HR)	5		39 ft.	7II	6II	5II
Lely (W)	5	425	39 ft.	7II	6II	5II
Lesco	3		10 ft.	K	J	H
Scotts (Drop)	3			8½	7½	6½
Scotts (Rotary)	3		6 ft.	S	N	L
Scotts (Rotary) R7X	3		8 ft.	M	J	H
Scotts (Rotary) R8A	3		8 ft.	N	M	L
Spyker	3		8 ft.	6	5½	5
Vicon PS 402	5	540	35 ft.	32	28	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

Keep out of reach of children.

CAUTION

LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com

Country Club®, the Lebanon Diamond, and Composite Technology® are registered trademarks of Lebanon Seaboard Corporation. Composite Technology is U.S. Patent 6,464,746. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

SPECIMEN LABEL



Country Club®

C O M P O S I T E
T E C H N O L O G Y .

FERTILIZER

