

Forestry Starter • Silvicultura Inicial

11-41-8

CAUTION: This fertilizer contains boron, copper, manganese, molybdenum and zinc, and should be used only as recommended. It may prove harmful when misused. This fertilizer is to be used only on soils which respond to molybdenum. Crops high in molybdenum are toxic to ruminant animals.

ppm Nitrogen	Plantex® 20-8-20 (oz. / 100 Gallons)
50	3.3
100	6.7
200	13.3
300	20.0
400	26.7

GUARANTEED ANALYSIS / ANÁLISIS GARANTIZADO

Total Nitrogen / Nitrógeno Total (N)	11%
9.5% Ammoniacal Nitrogen / Nitrógeno Amoniacal	
1.5% Nitrate Nitrogen / Nitrógeno Nitrato	
Available Phosphate / Fosfato Disponible (P ₂ O ₅)	41%
Soluble Potash / Potasa Soluble (K ₂ O)	8%
Boron / Boro (B)	0.02%
Copper / Cobre (Cu)	0.05%
0.05% chelated copper / cobre quelado	
Iron / Hierro (Fe)	0.2%
0.2% chelated iron / hierro quelado	
Manganese / Manganeso (Mn)	0.05%
0.05% chelated manganese / manganeso quelado	
Molybdenum / Molibdeno (Mo)	0.0005%
Zinc / Zinc (Zn)	0.05%
0.05% chelated zinc / zinc quelado	

(EDTA) Chelating Agent (minimum) /	
Agente Quelante (EDTA) (mínimo)	1.0%
Chlorine (Cl) (max) / Cloro (Cl) (máximo)	0.3%

DERIVED FROM: Ammonium phosphate, ammonium sulfate, potassium nitrate, potassium phosphate, magnesium sulfate, boric acid, sodium molybdate, Iron EDTA, Manganese EDTA, Zinc EDTA, Copper EDTA.

DERIVARSE DE: Fosfato de amonio, sulfato de amonio, nitrato de potasio, fosfato de potasio, sulfato de magnesio, ácido bórico, molibdato de sodio, EDTA Hierro, EDTA Manganeso, EDTA Zinc, EDTA Cobre.

CUIDADO: Este fertilizante contiene boro, cobre, manganeso, molibdeno y zinc, y debe usarse únicamente según las recomendaciones. Puede ser dañino si se utiliza mal. Este fertilizante debe usarse únicamente en suelos que respondan al molibdeno. Cultivos con niveles altos de molibdeno son tóxicos para animales rumiantes.

ppm Nitrógeno	Plantex® 20-8-20 (oz. / 100 Galones)
50	3.3
100	6.7
200	13.3
300	20.0
400	26.7

11-41-8