

Root Feeding

DIRECTIONS FOR USE: Plantex® fertilizer is recommended for use on all plants. For tender plants and greenhouse spray applications use one half the recommended rate of application. Plantex is soluble at the rate of 2½ - 4 lbs. per gallon of water. Use warm water for best results. Store in a cool, dry place.

CAUTION: This fertilizer contains boron, copper, manganese, molybdenum and zinc, and should be used only as recommended. It may prove harmful when misused.

Information regarding the contents and levels of metals in this product is available on the internet site:
<http://www.aapfco.org/metals>

DERIVED FROM: Potassium nitrate, ammonium sulfate, potassium phosphate, potassium sulfate, boric acid, sodium molybdate, a chelated metal complex containing ethylene diamine tetraacetate (EDTA), iron, zinc, copper and manganese.

ppm N	Plantex® 10-20-30 (oz. / 100 galones)	E.C. (mmhos)	oz. / galón de stock (ratio de inyección 1:100)
50	6.5	0.45	6.5
100	13	0.75	13
200	26	1.60	26
300	39	2.4	39
400	52	3.1	52

GUARANTEED ANALYSIS / ANÁLISIS GARANTIZADO:

Total Nitrogen / Nitrógeno Total (N).....	10%
4.4% Ammoniacal Nitrogen / Nitrógeno Amoniacal	
5.6% Nitrate Nitrogen / Nitrógeno Nitrat	
Available Phosphate / Fosfato Disponible (P ₂ O ₅).....	15%
Soluble Potash / Potasa Soluble (K ₂ O)	30%
Sulfur / Azufre (S).....	5.8%
Boron / Boro (B)	0.02%
Copper / Cobre (Cu)	0.05%
0.05% chelated copper / cobre quelado	
Iron / Hierro (Fe)	0.10%
0.10% chelated iron / hierro quelado	
Manganese / Manganeso (Mn)	0.05%
0.05% chelated manganese / manganeso quelado	
Molybdenum / Molibdeno (Mo).....	0.0005%
Zinc / Zinc (Zn).....	0.05%
0.05% chelated zinc / zinc quelado	
 Chlorine (Cl) (max) / Cloro (Cl) (max).....	0.3%
 Potential acidity (lbs. CaCO ₃ per ton of fertilizer) / La acidez potencial (libras CaCO ₃ por tonelada de fertilizante).....	269 lbs.
 EDTA chelating agent (minimum) / Agente quelante (EDTA) (mínimo).....	1.26%

INSTRUCCIONES DE USO: Plantex® es un fertilizante recomendado para uso en todas las plantas. Para plantas tiernas, aplicaciones de aerosol y aplicaciones de exteriores en clima cálido, use la mitad de la proporción de aplicación recomendada. Plantex es soluble a una proporción de 2½ - 4 lbs. por galón de agua. Use agua tibia para una disolución más rápida. Almacene en un lugar fresco y seco.

PRECAUCIÓN: Este fertilizante contiene boro, cobre, manganeso, molibdeno y zinc, y debe usarse únicamente según se recomienda. Puede ser dañino si se utiliza mal.

Información con respecto al contenido y niveles de metales en este producto está disponible en el sitio de internet:
<http://www.aapfco.org/metals>

DERIVARSE DE: Nitrato de potasio, sulfato de amonio, fosfato de potasio, sulfato de potasio, ácido bórico, molibdato de sodio, un complejo de metal quelado contenido tetraacetato diamina etileno (EDTA), hierro, zinc, cobre y manganeso.

Water Soluble Fertilizer

DANGER

Hazard Statement(s):

H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

Precautionary Statement(s):

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands and skin thoroughly after handling.

P284 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 If exposed or concerned: Get medical advice/attention.

P314 Immediately call a POISON CENTRE or doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Master Plant-Prod Inc. 314 Orenda Rd, Brampton, ON L6T 1G1 905-793-8000

