

Plantex 12-48-8

SECTION 1. IDENTIFICATION

Product Identifier	Plantex 12-48-8
Other Means of Identification	12240
Product Family	Plantex
Recommended Use	Water Soluble Fertilizer for Plants.
Manufacturer/Supplier Identifier	Master Plant-Prod Inc., 314 Orenda Rd. , Brampton, Ontario, Canada, L6T 1G1, Canada
Emergency Phone No.	CANUTEC, 1-613-996-6666, 24 Hours
Date of Preparation	February 28, 2017

SECTION 2. HAZARD IDENTIFICATION

Classified according to the US Hazard Communication Standard (HCS 2012).

Classification

Reproductive toxicity - Category 1

Label Elements



Signal Word:

Danger

Hazard Statement(s):

H360 May damage fertility or the unborn child.

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice or attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Identifier: Plantex 12-48-8 - Ver. 1

SDS No.: 01990012

Date of Preparation: February 28, 2017

Date of Last Revision: March 13, 2019

Page 01 of 06

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Boric acid	10043-35-3	< 0.5		
Potassium nitrate	7757-79-1	20		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing has stopped, trained personnel should begin rescue breathing. Call a Poison Centre or doctor.

Skin Contact

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Get medical advice or attention if you feel unwell or are concerned.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention.

Ingestion

For large amounts immediately call a Poison Centre or doctor. Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

Most Important Symptoms and Effects, Acute and Delayed

May cause mild irritation.

Immediate Medical Attention and Special Treatment

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use flooding quantities of water or other suitable extinguishing agent.

Unsuitable Extinguishing Media

DO NOT use water jet.

Specific Hazards Arising from the Product

Mild oxidizer. May intensify fire.

In a fire, the following hazardous materials may be generated: corrosive, oxidizing nitrogen oxides; corrosive phosphorous oxides; corrosive, flammable ammonia; potassium oxides.

Special Protective Equipment and Precautions for Fire-fighters

Wear SCBA and full protective clothing. Oxidizer. Prevent contact with flammable and combustible materials. Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Remove or isolate incompatible materials as well as other hazardous materials. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Environmental Precautions

Product Identifier: Plantex 12-48-8 - Ver. 1

SDS No.: 01990012

Date of Preparation: February 28, 2017

Date of Last Revision: March 13, 2019

Page 02 of 06

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain the spill. Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Avoid contact with combustibles, organics and ignition sources.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not breathe in this product. Do not get in eyes, on skin or on clothing. Avoid exposure during pregnancy and while nursing. Only use where there is adequate ventilation.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Keep out of reach of children. Store in a closed container. Keep separate from acids, alkalis, reducing agents and combustibles.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Boric acid	2 mg/m3	6 mg/m3				
Potassium nitrate	5 mg/m3					

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide safety shower in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Use an appropriate NIOSH approved particulate respirator. Monitor dust levels within working area and ensure adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Particle Size	Not available
Odour	Slight ammonia odour
Odour Threshold	Not applicable
pH	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Will not burn.
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available

Product Identifier: Plantex 12-48-8 - Ver. 1

SDS No.: 01990012

Date of Preparation: February 28, 2017

Date of Last Revision: March 13, 2019

Page 03 of 06

Solubility	Not available in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic)
Other Information	
Physical State	Solid
Molecular Formula	Not applicable
Molecular Weight	Not applicable
Bulk Density	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Heat. Water, moisture or humidity. Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Strong acids, strong alkaloids, oxidizers, organics.

Hazardous Decomposition Products

Corrosive, flammable ammonia; corrosive, oxidizing nitrogen oxides; corrosive phosphorous oxides; potassium oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Boric acid		2660 mg/kg	
Potassium nitrate		3750 mg/kg (rat)	

Skin Corrosion/Irritation

Irritation could occur with prolonged exposure to dry fertilizer or fertilizer solution.

Serious Eye Damage/Irritation

Irritation or burn could occur if fertilizer solution is splashed in eyes or dry product contacted.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations may cause lung injury, nose and throat irritation.

Skin Absorption

Not absorbed through skin.

Ingestion

If large amounts are swallowed symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

At high concentrations may cause.

Respiratory and/or Skin Sensitization

Mild skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Boric acid		A4		

Not known to cause cancer. Nitrilotriacetic Acid (NTA) and its salts were determined to be "possibly carcinogenic to humans by IARC, a compound which "may reasonably be anticipated to be a carcinogen" by NTP and a "select carcinogen" by OSHA.

Reproductive Toxicity

Development of Offspring

Boric acid may cause birth defects, based on animal data.

Sexual Function and Fertility

Boric acid may impair male fertility, based on animal data.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Boric acid	11100 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)			
Potassium nitrate		490 mg/L (Daphnia magna (water flea); 24-hour)		

Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Potassium nitrate				900 mg/L (Daphnia magna (water flea); 4.2 days)

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Product Identifier: Plantex 12-48-8 - Ver. 1

Date of Preparation: February 28, 2017

Date of Last Revision: March 13, 2019

SDS No.: 01990012

Page 05 of 06

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, Health and Environmental Regulations****USA****Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

SDS Prepared By MPPI Technical Department

Phone No. 905-793-8000

Date of Preparation February 28, 2017

Date of Last Revision March 13, 2019

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer To the best of our knowledge, the information contained herein is accurate. However, neither Master Plant-Prod Inc., nor any of its distributors, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of any product is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Product Identifier: Plantex 12-48-8 - Ver. 1

SDS No.: 01990012

Date of Preparation: February 28, 2017

Date of Last Revision: March 13, 2019

Page 06 of 06