

Pansy • Pensamiento

17-4-19

17-4-19

DIRECTIONS FOR USE: Plantex® 17-4-19 Pansy fertilizer is recommended for use on all plants. For tender plants and greenhouse spray applications use one half the dosage. Plantex fertilizer is soluble at the rate of 2½ - 4 lbs. per gallon of water. Use warm water for best results.

CAUTION: This fertilizer contains boron, copper, manganese, molybdenum and zinc, and should be used only as recommended. It may prove harmful when misused.

This fertilizer is to be used only on soils which respond to molybdenum. Crops high in molybdenum are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

The micronutrients within Plantex are available at a greater pH range due to the presence of EDTA and DTPA chelating agents.

ppm Nitrogen / Nitrógeno	Plantex® 17-4-19 (oz. / 100 Gallons/ Galones)	E.C. (mmhos)	oz. / Gallon / Galón of / de stock (1:100 injection ratio) / (ratio de inyección 1:100)
50	3.9	0.47	3.9
100	7.8	0.91	7.8
200	15.7	1.79	15.7
300	23.5	2.64	23.5

17-4-19	Greenhouse Crops / Cultivos de Invernadero
	Constant Feeding / Alimentación Constante
Rate / Ratio	4 - 12 oz. per / por 100 Gallons / Galones
Frequency / Frecuencia	Continuous / Continuo
Coverage / Cobertura	100 Gallons / Galones / 400 sq. ft. / pie² or / o 2000 pots / macetas
ppm Nitrogen / Nitrógeno	50 - 150

GUARANTEED ANALYSIS / ANÁLISIS GARANTIZADO:

Total Nitrogen / Nitrógeno Total (N).....	17%
6.1% Ammoniacal Nitrogen / Nitrógeno Amoniacal	
10.9% Nitrate Nitrogen / Nitrógeno Nitrato	
Available Phosphate / Fosfato Disponible (P ₂ O ₅).....	4%
Soluble Potash / Potasa Soluble (K ₂ O)	19%
Magnesium / Magnesio (Mg).....	3.4%
3.4% water soluble magnesium/magnesio soluble en agua	
Sulphur / Azufre (S)	4.3%
Boron / Boro (B)	0.036%
Copper / Cobre (Cu)	0.05%
0.05% chelated copper / cobre quelado	
Iron / Hierro (Fe)	0.18%
0.18% chelated iron / hierro quelado	
Manganese / Manganeso (Mn)	0.05%
0.05% chelated manganese / manganeso quelado	
Molybdenum / Molibdeno (Mo).....	0.015%
Zinc / Zinc (Zn).....	0.05%
0.05% chelated zinc / zinc quelado	

DERIVED FROM: Potassium nitrate, potassium phosphate, ammonium nitrate, magnesium sulfate, boric acid, sodium molybdate, iron EDTA, iron DTPA, Copper EDTA, Manganese EDTA and zinc EDTA.

DERIVARSE DE: Nitrato de potasio, fosfato monopotásico, nitrato de amonio, sulfato de magnesio, ácido bórico, molibdato de sodio, EDTA hierro, DTPA hierro, EDTA cobre, EDTA manganeso y EDTA zinc.

Chlorine (Cl) (max) / Cloro (Cl) (máximo).....0.3%

Potential acidity (lbs. CaCO₃ per ton of fertilizer) / La acidez potencial libras. CaCO₃ por tonelada de fertilizante.....265 lbs.

INSTRUCCIONES DE USO: Plantex® 17-4-19 Pensamiento es un fertilizante recomendado para uso en todas las plantas. Para plantas tiernas y aplicaciones de aerosol de invernadero, use la mitad de la dosis. Plantex es soluble a una proporción de 2½ - 4 lbs. por galón de agua. Use agua tibia para mejores resultados.

CUIDADO: Este fertilizante contiene boro, cobre, manganeso, molibdeno y zinc, y debe usarse únicamente según las recomendaciones. Puede ser dañino si se utiliza mal.

Este fertilizante debe usarse únicamente en suelos que respondan al molibdeno. Cultivos con niveles altos de molibdeno son tóxicos para animales ruminantes.

Hay información disponible con respecto al contenido y niveles de metales en este producto en el sitio internet <http://www.aapfco.org/metals.htm>

Los micronutrientes en PLANTEX están disponibles en un mayor rango de pH debido a la presencia de los agentes quelantes EDTA y DTPA.

Water Soluble Fertilizer

DANGER

Hazard Statement(s):

H272 May intensify fire; oxidizer.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child.

Precautionary Statement(s):

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep or store away from clothing and other combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P370 + P378 In case of fire: Use water spray or fog to extinguish.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Master Plant-Prod Inc. 314 Orenda Rd. Brampton, ON L6T 1G1 905-793-8000

