

Plantex 20-2-20

SECTION 1. IDENTIFICATION

Product Identifier	Plantex 20-2-20
Other Means of Identification	10386
Product Family	Plantex
Recommended Use	Water Soluble Fertilizer for Plants.
Manufacturer/Supplier Identifier	Master Plant-Prod Inc., 314 Orenda Rd. , Brampton, Ontario, Canada, L6T 1G1
Emergency Phone No.	CANUTEC, 1-613-996-6666, 24 Hours
Date of Preparation	February 25, 2016

SECTION 2. HAZARD IDENTIFICATION

Classified according to the US Hazard Communication Standard (HCS 2012).

Classification

Oxidizing solid - Category 3; Eye irritation - Category 2A; Carcinogenicity - Category 2; Reproductive toxicity - Category 1

Label Elements



Signal Word:

Danger

Hazard Statement(s):

H272	May intensify fire; oxidizer.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.

Precautionary Statement(s):

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep or store away from clothing and other combustible materials.
P221	Take any precaution to avoid mixing with combustibles/
P264	Wash hands and skin thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use water spray or fog to extinguish.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Potassium nitrate	7757-79-1	47	
Ammonium nitrate	6484-52-2	34	
Boric acid	10043-35-3	<0.15	
Nitric acid, ammonium calcium salt	15245-12-2	<0.15	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing has stopped, trained personnel should begin rescue breathing. Call a Poison Centre or doctor. If ammonia gas is inhaled from heated fertilizer and breathing has stopped, begin artificial respiration.

Skin Contact

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Get medical advice or attention if you feel unwell or are concerned. Thermal burns require immediate medical attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention.

Ingestion

For large amounts immediately call a Poison Centre or doctor. Rinse mouth with water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

Most Important Symptoms and Effects, Acute and Delayed

May cause mild irritation. If heated, may cause thermal burns.

Immediate Medical Attention and Special Treatment

Special Instructions

Not applicable. See first aid information above. Note to Physicians: Provide general supportive measures and treat symptomatically.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use flooding quantities of water or other suitable extinguishing agent.

Unsuitable Extinguishing Media

DO NOT use water jet.

Specific Hazards Arising from the Product

Product Identifier: Plantex 20-2-20

Date of Preparation: February 25, 2016

Mild oxidizer. May intensify fire.

Corrosive, flammable ammonia; very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides.

Special Protective Equipment and Precautions for Fire-fighters

Wear SCBA and full protective clothing. Oxidizer. Prevent contact with flammable and combustible materials.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Remove or isolate incompatible materials as well as other hazardous materials. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain the spill. Avoid contact with combustibles, organics and ignition sources. Sweep up spilled material and dispose of in approved manner.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not breathe in this product. Do not get in eyes. Prevent all skin contact. Avoid exposure during pregnancy and while nursing. Only use where there is adequate ventilation.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Keep out of reach of children. Store in a closed container. Keep separate from acids, alkalis, reducing agents and combustibles.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Not available.

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation and enclosure, if necessary, to control amount in the air.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Use an appropriate respirator or dust mask.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Blue fine powder. Particle Size: Not available
Odour	Slight ammonia odour
Odour Threshold	Not applicable
pH	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not available

Product Identifier: Plantex 20-2-20

Date of Preparation: February 25, 2016

Page 03 of 07

Flammability (solid, gas)	Will not burn.
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available
Solubility	Not available in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic)
Other Information	
Physical State	Solid
Molecular Formula	Not applicable
Molecular Weight	Not applicable
Bulk Density	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Heat. Water, moisture or humidity. Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Strong acids, strong alkaloids, oxidizers, organics.

Hazardous Decomposition Products

Corrosive, flammable ammonia; corrosive, oxidizing nitrogen oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Ammonium nitrate	> 88.8 mg/L (rat)	2800 mg/kg (rat)	> 5000 mg/kg (rat)
Potassium nitrate		3750 mg/kg (rat)	
Boric acid		2660 mg/kg	
Nitric acid, ammonium calcium salt		1740 mg/kg (rat)	

Skin Corrosion/Irritation

Irritation could occur with prolonged exposure to dry fertilizer or fertilizer solution.

Serious Eye Damage/Irritation

Irritation or burn could occur if fertilizer solution is splashed in eyes or dry product contacted.

Product Identifier: Plantex 20-2-20

Date of Preparation: February 25, 2016

Page 04 of 07

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations may cause lung injury, nose and throat irritation.

Skin Absorption

Not absorbed through skin.

Ingestion

If large amounts are swallowed symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

Respiratory and/or Skin Sensitization

Skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Boric acid		A4		
Nitric acid, ammonium calcium salt	Group 2B	Not Listed		Not Listed

Nitritotriacetic Acid (NTA) and its salts were determined to be "possibly carcinogenic to humans by IARC, a compound which "may reasonably be anticipated to be a carcinogen" by NTP and a "select carcinogen" by OSHA.

Reproductive Toxicity

Development of Offspring

Boric acid may cause birth defects, based on animal data.

Sexual Function and Fertility

Boric acid may impair male fertility, based on animal data.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Ammonium nitrate	6000 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	555 mg/L (Daphnia magna (water flea); 24-hour; fresh water; static)		
Potassium nitrate		490 mg/L (Daphnia magna (water flea); 24-hour)		
Boric acid	11100 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)			

Chronic Aquatic Toxicity

Product Identifier: Plantex 20-2-20

Date of Preparation: February 25, 2016

Page 05 of 07

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Potassium nitrate				900 mg/L (Daphnia magna (water flea); 4.2 days)

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	2071	AMMONIUM NITRATE FERTILIZERS	9	III
US DOT	2071	AMMONIUM NITRATE FERTILIZERS	9	III

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

SDS Prepared By MPPI Technical Department

Phone No. 905-793-8000

Date of Last Revision September 19, 2018

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer To the best of our knowledge, the information contained herein is accurate. However, neither Master Plant-Prod Inc., nor any of its distributors, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of any product is the sole responsibility of the user. All materials may present

Product Identifier: Plantex 20-2-20

Date of Preparation: February 25, 2016

unknown hazards and should be used with caution.