

High Capacity High Nitrate • Alta Capacidad Alto Nitrato

25-4-15

25-4-15

DIRECTIONS FOR USE: Plantex® fertilizer is recommended for use on all plants. For tender plants, spray applications and outdoor applications in hot weather, use one half the recommended rate of application. Plantex is soluble at the rate of 2 ½ - 4 lbs. per gallon of water. Use warm water for fastest dissolving. Store in a cool, dry place.

CAUTION: This fertilizer contains boron, copper, manganese, molybdenum, and zinc, and should be used only as recommended. It may prove harmful when misused.

This fertilizer is to be used only on soils which respond to molybdenum. Crops high in molybdenum are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the internet site: <http://www.aapfco.org/metals>

DERIVED FROM: Potassium nitrate, ammonium nitrate, potassium phosphate, magnesium sulfate, boric acid, sodium molybdate, a chelated metal complex containing ethylene diamine tetraacetate (EDTA), iron, zinc, copper and manganese and iron diethylene triamine pentaacetate (DTPA).

GUARANTEED ANALYSIS / ANALISIS GARANTIZADO:

Total Nitrogen / Nitrógeno Total (N)	25%
10.7% Ammoniacal Nitrogen / Nitrógeno Amoniacal	
14.3% Nitrate Nitrogen / Nitrato de Nitrógeno	
Available Phosphate / Fosfato Disponible (P ₂ O ₅)	4%
Soluble Potash / Potasa Soluble (K ₂ O)	15%
Boron / Boro (B)	0.02%
Copper / Cobre (Cu)	0.05%
0.05% chelated copper / quelato de cobre	
Iron / Hierro (Fe)	0.125%
0.125% chelated iron / quelato de hierro	
Manganese / Manganeso (Mn)	0.05%
0.05% chelated manganese / quelato de manganeso	
Molybdenum / Molibdeno (Mo)	0.015%
Zinc / Zinc (Zn)	0.05%
0.05% chelated zinc / quelato de zinc	

Chlorine (Cl) (maximum) /
Cloro (Cl) (máximo).....0.3%

Potential Acidity (lbs. CaCO₃ per ton of fertilizer)
/ La acidez potencial (libras CaCO₃ por tonelada
de fertilizante.....643 lbs.

(EDTA) chelating agent (minimum) /
Agente quelante (EDTA) (mínimo).....1.24%

(DTPA) chelating agent (minimum) /
Agente quelante (DTPA) (mínimo).....0.15%

INSTRUCCIONES DE USO: El fertilizante Plantex® está recomendado para uso en todo tipo de plantas. Para plantas tiernas, aplicaciones de pulverización y aplicaciones al aire libre en clima caliente, use la mitad de la dosis de aplicación recomendada. Plantex es soluble a razón de 2 ½ - 4 libras por galón de agua. Use agua caliente para una disolución más rápida. Conserve en un lugar fresco y seco.

PRECAUCIÓN: Este fertilizante contiene boro, cobre, manganeso, molibdeno y zinc, y se debe utilizar solamente según se recomienda. Puede resultar perjudicial cuando se utilizada indebidamente.

Este fertilizante sólo se debe utilizar en suelos que responden al molibdeno. Cultivos altos en molibdeno son tóxicos para animales rumiantes.

Información sobre el contenido y niveles de metales en este producto está disponible en el sitio Internet: <http://www.aapfco.org/metals>

DERIVARSE DE: Nitrato de potasio, nitrato de amonio, fosfato de potasio, sulfato de magnesio, ácido bórico, molibdato de sodio, un complejo de metal quelado conteniendo etilendiamina tetraacetato (EDTA), hierro, zinc, cobre y manganeso y pentaacetato dietileno triamina de hierro (DTPA).

ppm N	Plantex® 25-4-15 (oz. / 100 gallons / galones)	EC (mmhos)	oz. / gallon / galón of / de stock (1:100 injection ratio) / (ratio de inyección 1:100)
50	2.7	0.41	2.7
100	5.3	0.82	5.3
200	10.7	1.63	10.7
300	16	2.42	16
400	21.3	3.20	21.3

Water Soluble Fertilizer

DANGER

Hazard Statement(s):
 H272 May intensify fire, oxidizer.
 H319 Causes serious eye irritation.
 H351 Suspected of causing cancer.
 H360 May damage fertility or the unborn child.

Precautionary Statement(s):
 Prevention:
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P220 Keep or store away from clothing and other combustible materials.
 P221 Take any precaution to avoid mixing with combustibles.
 P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P309 + P313 IF exposed or concerned: Get medical advice/attention.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
 P370 + P378 In case of fire: Use water spray or fog to extinguish.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

Master Plant-Prod Inc. 314 Orenda Rd. Brampton, ON L6T 1G1 905-793-8000